



www.thechinastone.com

The bottom of the page features a decorative graphic consisting of several overlapping, wavy bands of blue and grey. The bands are layered, with some appearing more prominent than others, creating a sense of depth and movement. The colors range from a light, misty blue to a darker, more saturated blue.

Introduction

Welcome to the latest edition of the **China Stone Product Reference Guide**

This portable and easy-to-use reference tool, summarizes information about our precision calibrated natural gemstones range offered directly via our award-winning trade-only website, and through our channel partners.

Inside the guide, you will find most current information about our product ranges, technical specifications, colors, and ordering information.

For questions or more information about the **China Stone Product Reference Guide**, visit <http://www.thechinastone.com>.

When you register, you will have access to PDF and HTML versions of this guide that you can download or request express delivery of hardcopy at your office at no charge.

Product and service availability

From online ordering to assisted procurement, we are here to help. Fast and easy to use, our award-winning E-Procurement system offer diverse purchasing options to meet your specific needs and requirements. If you don't have an account with us, please ask member of the staff for account form or register online at:

www.thechinastone.com


The benefits of registering and managing your orders online include:

- Preferential tailored pricing
- Flexible payment methods
- Exclusive business discounts
- Dedicated account manager
- Secure & private ordering
- Real-time price availability
- Real-time inventory access
- Shorten order cycle times
- Live order and invoice activity
- Cut down significantly on errors



WWW.THECHINASTONE.COM

Round brilliant cut



High-precision digitally controlled cutting

0.80 mm – 2.00 mm +0.05 mm

2.05 mm – 3.00 mm +0.05 mm

In-stock

Made to order

Round
Brilliant cut

Form factor		Varieties
Shape	Round	Amethyst
Cut style	Brilliant	Sapphire
Symmetry	Exceptional	Tsavorite
Polish	Exceptional	Ruby




In-Stock*		Made to order	
Size and tolerance		Size and tolerance	
Minimum size	0.80 mm	Minimum size	2.05 mm
Size increment	0.05 mm	Size increment	0.05 mm
Maximum size	2.00 mm	Maximum size	3.00 mm
Tolerance	0.03 mm	Tolerance	0.03 mm

* In-stock applies for quantity of up to 500 pce for any single gemstone variety within single color product range.



WWW.THECHINASTONE.COM

Round single cut



High-precision digitally controlled cutting

0.60 mm – 0.80 mm +0.05 mm

0.85 mm – 3.00 mm +0.05 mm

In-stock

Made to order

Round Single cut

Form factor		Varieties
Shape	Round	Sapphire
Cut style	Single	Ruby
Symmetry	Exceptional	
Polish	Exceptional	


In-Stock*		Made to order	
Size and tolerance		Size and tolerance	
Minimum size	0.60 mm	Minimum size	0.85 mm
Size increment	0.05 mm	Size increment	0.05 mm
Maximum size	0.80 mm	Maximum size	3.00 mm
Tolerance	0.03 mm	Tolerance	0.03 mm

* In-stock applies for quantity of up to 500 pce for any single gemstone variety within single color product range.



WWW.THECHINASTONE.COM

Round en cabochon cut



High-precision digitally controlled cutting

1.20 mm – 2.50 mm +0.05 mm

2.55 mm – 5.00 mm +0.05 mm

In-stock

Made to order

Round En cabochon cut

Form factor		Varieties
Shape	Round	Amethyst
Cut style	En cabochon	Sapphire
Symmetry	Exceptional	Tsavorite
Polish	Exceptional	Ruby




In-Stock*	Made to order
Size and tolerance	Size and tolerance
Minimum size	Minimum size
Size increment	Size increment
Maximum size	Maximum size
Tolerance	Tolerance

* In-stock applies for quantity of up to 500 pce for any single gemstone variety within single color product range.



WWW.THECHINASTONE.COM

Square princess cut



High-precision digitally controlled cutting

1.50 mm – 2.50 mm +0.50 mm

3.00 mm – 4.00 mm +0.50 mm

In-stock

Made to order

Square Princess cut

Form factor		Varieties
Shape	Square	Amethyst
Cut style	Princess	Sapphire
Symmetry	Exceptional	Tsavorite
Polish	Exceptional	Ruby

In-Stock*	Made to order
Size and tolerance	Size and tolerance
Minimum size	Minimum size
Size increment	Size increment
Maximum size	Maximum size
Tolerance	Tolerance

* In-stock applies for quantity of up to 500 pce for any single gemstone variety within single color product range.

Product matching and reference guide

Quick Product Reference

Black sapphire

BK100

Blue Sapphire

BS070 – BS100 – BS200 – BS300 – BS400 – BS500

BC100 – BC200 – BC300 – BC400 BC500

Lavender sapphire

LS100 – LS200 – LS300 – LS400 – LS500

LS600 – LS700

Grey sapphire

GS100 – GS200 – GS300 – GS400 – GS500

Pink sapphire

PS100 – PS200 – PS300 – PS400 – PS500

PS600 – PS700

Yellow sapphire

YS050 – YS070 – YS100 – YS200 – YS300 YS400

YS500 – YS600 – YS700 – YS800 YB100 – YB200

YB300 – YB400 – YB500 YB600 – YB700 – YC100

YC200 – YC300 – YC400 – YC500 – YC600

YC700 – YR100 YR200 – YR300 – YR400 – YR500

White sapphire

WS100

Ruby

RB100 – RB200 – RB300

Tsavorite


TS100 – TS200 – TS300 – TS400

TS500 – TS600

Amethyst

AM100 – AM200 – AM300 – AM400 – AM500

How to use the product matching and reference guide



The China Stone product matching and reference guide is provided to facilitate the color communication for precision natural gemstones supplied by China Stone.

Each product represents precision-cut natural colored gemstone variety and color tolerance range identified by a Pantone ID and Pantone color swatch. The GIA GemSet notation represents a baseline color of the product.

Prices are available and sale orders fulfilled only by a Product ID. Custom orders with zero color tolerance is subject to a minimum contract amount.



WWW.THECHINASTONE.COM

Black Sapphire

Blue Sapphire

Blue Sapphire

BK100

BS070


BS100

B 7/4 Dark blue

B 6/5 Medium dark blue

B 5/6 Medium blue

282 296 532 7547 2747 2748 2756 662 2736 2746 661 2738



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm






WWW.THECHINASTONE.COM

Blue Sapphire

BS200

B 5/3 Medium blue

286 293 2728 287




Blue Sapphire

BS300

vsigB 6/5 Medium dark
very slightly
greenish blue

285 300 660 2935




Blue Sapphire

BS400

B 3/4 Light blue

279 2727 2718 659



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm






WWW.THECHINASTONE.COM

Blue Sapphire

BS500

B 3/3 Light blue

278 651 658 2717



Blue Sapphire

BC100

B 5/1 Medium blue

288 294 2955 541




Blue Sapphire

BC200

gB 5/4 Medium greenish blue

301 647 7462 7469



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm






WWW.THECHINASTONE.COM

Blue Sapphire

BC300

gB 5/2 Medium greenish blue

314 633 3145 7468




Blue Sapphire

BC400

gB 4/3 Medium light greenish blue

313 3135 632 7459




Blue Sapphire

BC500

gB 2/2 Very light greenish blue

629 630 635 636



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Lavender Sapphire

LS100

oR 6/4 Medium dark
orangy red

209

490

504

7428

Lavender Sapphire

LS200

oR 6/3 Medium dark
orangy red

175

491

498

697

Lavender Sapphire

LS300


oR 4/4 Medium light
orangy red

499

506

4985

696



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Lavender Sapphire

LS400

RO/OR 8/2 Very dark
red-orange

7523

7524

4995

876



Lavender Sapphire

LS500

RO/OR 3/2 Light
red-orange

7522

7525

4715

479



Lavender Sapphire

LS600

PR/RP 2/1 Very light
red-purple

7521

4735

4745

480



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Lavender Sapphire

LS700

PR/RP 2/1 Very light
red-purple

7528

7529

7530

407

401

422

421

414



5435

7543

429

442



Grey Sapphire

GS100

B 2/2 Very light blue

Grey Sapphire

GS200

B 2/2 Very light blue

Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Grey Sapphire

Grey Sapphire

Grey Sapphire

GS300

GS400

GS500

B 2/2 Very light blue

B 2/2 Very light blue

B 2/2 Very light blue

538

537

5445

5455

5655

5665

5585


5595

454

5875

614

7500



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Pink Sapphire

PS100

slpR 7/4 Dark
slightly
purplish red

215

220

234

676

227

2405

241

675

240

246

2385

239

Pink Sapphire


PS200

slpR 6/3 Medium dark
slightly
purplish red

Pink Sapphire

PS300

slpR 5/5 Medium
slightly
purplish red



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm



WWW.THECHINASTONE.COM

Pink Sapphire

PS400slpR 5/4 Medium slightly
purplish red

218

224

231

2375

223

237

245

514

230

236


671

685

Pink Sapphire

PS500slpR 4/3 Medium
light slightly
purplish red

Pink Sapphire

PS600slpR 3/3 Light slightly
purplish red

Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Pink Sapphire

PS700

slpR 2/3 Very light slightly
purplish red

517

670

678

684

179

1795

1797


185

173

166

1665

7417



Yellow Sapphire

YS050

oR 4/5 Medium light
orangy red

Yellow Sapphire

YS070

rO 4/5 Medium light
reddish orange

Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Yellow Sapphire

YS100

O 5/5 Medium orange

165 1655 716 1585

Yellow Sapphire

YS200

Y 5/5 Medium yellow


137 1365 1375 7409

Yellow Sapphire

YS300

Y 5/5 Medium yellow

124 130 136 7408



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Yellow Sapphire

YS400

Y 5/4 Medium yellow

116 123 7405 7406

Yellow Sapphire

YS500

Y 4/5 Medium light yellow


108 115 3955 7404

Yellow Sapphire

YS600

Y 4/5 Medium light yellow

101 106 603 3945



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Yellow Sapphire

YS700

Y 3/3 Light yellow

100

393

601

602

461

600

607

608



Yellow Sapphire

YS800

Y 2/2 Very light yellow

159

718

1525

1595



Yellow Sapphire

YB100

yO 5/5 Medium yellowish orange

Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Yellow Sapphire

Yellow Sapphire

Yellow Sapphire

YB200

yO 5/5 Medium
yellowish
orange


YB300

yO 4/5 Medium light
yellowish
orange

YB400

yO 3/3 Light
yellowish
orange

152 158 1385 7413 144 138 716 1575 150 157 715 7411



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Yellow Sapphire

YB500

Y 2/2 Very light yellow

135 149 156 7508

Yellow Sapphire

YB600

oY 2/3 Very light orangy yellow


141 148 1345 712

Yellow Sapphire

YB700

oY 2/3 Very light orangy yellow

155 719 726 7506



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Yellow Sapphire

YC100

yO 4/4 Medium light
yellowish orange

138

151

164

1505

1575

Yellow Sapphire

YC200

yO 4/5 Medium light
yellowish orange

137

1375

1495

Yellow Sapphire

YC300


oY 3/5 Light
orangy yellow

130

136

1235

7409



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Yellow Sapphire

YC400

Y 4/3

Medium light
yellow

123

135

1225

7406

Yellow Sapphire

YC500

Y 2/2

Very light
yellow

122

128

129

134

Yellow Sapphire

YC600

Y 2/2


Very light
yellow

120

121

127

1215



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Yellow Sapphire

Yellow Sapphire

Yellow Sapphire

YC700

YR100


YR200

Y 2/2 Very light yellow

RO/OR/5/5 Medium red-orange

R 3/4 Light red

461 1205 7401 7499 180 186 1797 711 179 710 191 198



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm



WWW.THECHINASTONE.COM

Yellow Sapphire

YR300

R 3/2 Light red

1785 178 184 1777

Yellow Sapphire

YR400

R 2/2 Very light red


1635 170 486 1775

Yellow Sapphire

YR500

RO/OR 3/1 Light red-orange

162 169 488 7415



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm






WWW.THECHINASTONE.COM

White sapphire

WS100

B 2/2 Very light blue

White



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Ruby

Ruby

Ruby

RB100

RB200

RB300

R 5/6 Medium red

R 5/5 Medium red

R 4/5 Medium light red

187

201

1945

7427

200

207

193


7426

186

1925

199

1935



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Tsavorite

TS050

vslbG 7/3 Dark
very slightly
bluish green

343

350

357

555



Tsavorite

TS100

vslbG 6/4 Medium dark
very slightly
bluish green

342

349

364

3425



Tsavorite

TS200

vslbG 6/4 Medium dark
very slightly
bluish green

341

348

356

3415



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Tsavorite

TS300

vslbG 4/4

Medium light
very slightly
bluish green

340

355

362

7482

347

354

361


369

358

359

367

7487



Tsavorite

TS400

yG 5/3

Medium
yellowish
green

Tsavorite

TS500

yG 4/5

Medium
light yellowish
green

Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Tsavorite

TS600

yG 2/3 Very light
yellowish green

365

366

372

7486

343

350

357


555

342

349

364

3425



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Chrome Tourmaline

CT200

vslbG 6/4 Medium dark
very slightly
bluish green

341 348 356 3415

Chrome Tourmaline

CT300

vslbG 4/4 Medium light
very slightly
bluish green


340 355 362 7482

Chrome Tourmaline

CT400

yG 5/3 Medium
yellowish
green

347 354 361 369



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Chrome Tourmaline

CT500

YG/GY 3/3 Light yellow-green

358 359 367 7487

Chrome Tourmaline

CT600

YG/GY 2/1 Very light yellow-green


365 366 372 7486

Amethyst

AM100

vP 6/5 Medium dark violetish purple

266 527 2603 2587



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Amethyst

AM200

vP 3/3 Light
violetish purple

265

2582

2583

7441

528

2572

2573


2577

2563

2567

522

529



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm





WWW.THECHINASTONE.COM

Amethyst

AM500

vP 2/3


Very light
violetish purple

256

263

523

524



Calibrated shape and size options chart

■ Round single cut
 ■ Round brilliant cut
 ■ Round en cabochon cut
 ■ Square princess cut

All sizes in millimetres (mm). Size tolerance is +0.03mm



ONLINE COMMUNITY AND SOCIAL NETWORKING

For businesses of all sizes



Facebook

Like us for gems news, support and discussions

www.facebook.com/thechinastone



Twitter

Get up-to-the minute news, tips and promotions

www.twitter.com/thechinastone



LinkedIn

Get help, share opinions and read recommendations

www.linkedin.com/company/505964




Google Plus

Our technical experts are gathered to help you

www.goo.gl/CsQZC

www.thechinastone.com

The bottom of the page features a decorative graphic consisting of several overlapping, wavy bands of blue and grey. The bands are layered, creating a sense of depth and movement, and they curve upwards from the bottom center towards the left and right edges of the frame.